

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 21]

NEW DELHI, SATURDAY, JUNE 9, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th May, 1956

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)						Assam—contd.					
Ajmer						(Estd. mid-year pop 9,817 thousands).					
TOTAL						Total for w/e 28-4-56					
(Estd. Mid-year pop 752 thousands).						Total for w/s 21-4-56					
Total for w/e 28-4-56						7-yearly mean for the week.					
Total for w/e 21-4-56											
7-yearly mean for the week											
Andhra						Bhopal					
TOTAL						TOTAL					
Srikakulam						(Estd.-mid-year pop. 867 thousands).					
Visakhapatnam						Total for w/e 28-4-56					
Godavari East						Total for w/e 21-4-56					
Godavari West						7-yearly mean for the week					
Krishna											
Guntur											
Nellore											
Kurnool						Bihar					
Cuddapah.						"N.R."					
Anantapur						Bombay					
Chittoor						Greater Bombay					
TOTAL						Ahmedabad					
(Estd. mid-year pop. 21,238 thousands).						Kaira					
Total for w/e 28-4-56						Broach					
Total for w/e 21-4-56						Surat					
7-yearly mean for the week						Ahmednagar					
Assam						East Khandesh					
Cachar						West Khandesh.					
Kamrup						Nasik					
Darrang						Poona					
TOTAL											
Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.											

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th May, 1956—*contd.*

CHOLERA						SMALLPOX						PLAGUE						CHOLERA						SMALLPOX						PLAGUE												
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.												
Bombay—contd.												Madhya Pradesh—contd.																														
Satara North	3	..	—	..	Jabalpur	6	1	Sagar	20	7	Mandla	3	1									
Sholapur	.	..	18	1	Bilaspur	2	2	Bastar	2	Yeotmal	26	1									
Sabarkantha	.	..	9	1	(Estd. mid-year pop. 39,569 thousands).											Akola	58	16	Buldana	119	12							
Bijapur	.	..	5	1	Total for w/e 28-4-56	1	..	163	27	..	Total for w/e 28-4-56	5	2	726	60	Total for w/e 21-4-56	5	..	162	38	7-yearly mean for the week	45	13	339	62	7-yearly mean for the week	27	9	235	33	2			
Kolaba	.	..	1	Coorg																																			
Mehsana	.	..	76	10	TOTAL	(Estd. mid-year pop. 262 thousands).																										
Ranaskantha	20	6	Total for w/e 28-4-56	Total for w/e 28-4-56	Total for w/e 21-4-56								
TOTAL	262	46	Total for w/e 21-4-56	5	..	162	38	7-yearly mean for the week	7-yearly mean for the week								
												Delhi												Madras																		
												Delhi City	.	..	6	Madras Town	2	1	North Arcot	11	3	Salem	1	2
												New Delhi	.	..	4	South Arcot	7	5	Tiruchirappalli	3	Ramnatha puram	1	
												TOTAL	10	Tirunelveli	3	Malabar	5	3	TOTAL	33	14
												(Estd. Census pop. 1,744 thousands).											(Estd. mid-year pop. 38,273 thousands).																			
												Total for w/e 28-4-56	9	2	Total for w/e 28-4-56	22	9	Total for w/e 21-4-56	55	18	7-yearly mean for the week	128	64	79	21			
												Total for w/e 21-4-56	11	4	7-yearly mean for the week		
												7-yearly mean for the week	8	2	Manipur																							
												Himachal Pradesh												TOTAL																		
												"N. R."												(Estd. mid-year pop. 613 thousands).																		
												Madhya Pradesh												Total for w/e 28-4-56																		
												Nagpur	.	..	15	2	Total for w/e 21-4-56		
												Wardha	.	..	10	1																								
												Chanda	.	..	6																								
												Chhindwara	.	..	16																								
												Bhandara	.	..	93	11																								

Explanation of Symbols used : C.—Cases; D.—Deaths; ..=Nil; "N. R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th May, 1956—contd.

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
West Bengal—contd.								Patiala and East Punjab States Union							
24-Parganas	70	31	1	TOTAL	..	1
Calcutta	221	76	7	7	Rajasthan							
Nadia	2	1	"N.R."							
Murshidabad	5	3	7	Saurashtra							
Malda	21	2	Zalawad	..	1
West Denaipur	2	3	Central Saurashtra	..	4	1
Jalpaiguri	2	Gohilwad	..	1
TOTAL	466	195	99	24	Halar	..	1
(Estd. mid-year pop. 26,396 thousands.)								Sorath	..	1
Total for w/e 28-4-56	485	180	56	7	TOTAL	..	7	2
Total for w/e 21-4-56	337	134	49	26	Travancore-Cochin							
7-yearly mean for the week	588	242	219	76	1	TOTAL	..	17	3
Grand Total for States Parts (A) & (C) (excluding Bihar, and Himachal Pradesh.)	721	322	1,266	251	Grand Total for States Part (B)	35	15	79	18
Corresponding (Estd. mid-year pop. 260,567 thousands.)								Grand Total for States Parts (A), (B) and (C)	756	337	1,345	269
Corresponding Total for w/e 28-4-56	602	227	1295	164	ARREAR INFORMATION							
Corresponding Total for w/e 21-4-56	470	196	1206	245	Bihar							
Corresponding 7-yearly mean for the week	982	432	1,698	341	34	9	..	w/e 21-4-56							
STATES PART (B)								Patna	..	26	7
Hyderabad								Gaya	..	21	4
Aurangabad	1	Shahbad	4	2	15	6
Raichur	30	14	9	4	Saran	..	3
Mahbubnagar	5	1	Bhagalpur	..	11	3
Khammam	8	6	Purnea	..	215	52
TOTAL	35	15	18	10	Santal Parganas	..	9	2
Jammu and Kashmir								Hazaribagh	3	1
"N. R."								Manbhum	..	33	14
Madhya Bharat								TOTAL	7	3	333	88
"N. R."								Bihar							
Mysore								w/e 28-4-56							
Shimoga	30	1	Patna	..	72	11
Chitaldrug	6	2	Gaya	..	11	4
TOTAL	36	3	Shahbad	4	9
								Muzzaffarpur	1	1

Explanation of symbols used: C.—Cases; D.—Deaths; ..—Nil; "N. R."—Information not received.

CHOLERA	SMALLPOX	PLAGUE	—	CHOLERA	SMALLPOX	PLAGUE
C. D.	C. D.	C. D.		C. D.	C. D.	C. D.

w/e 21-4-56

Darbhanga	2	1
Monghyr	14	1
Bhagalpur	9	1
Santal Parganas	64	11
Manbhum	30	15
TOTAL	7	2	164	43

w/e 28-1-56 (Revised)

Madhya Saurashtra	I
Sarath	4
Zalawad	1+
TOTAL	19

NEW DELHI-2 (INDIA) :
The 28th May, 1956.

K. MITRA,
for Registrar General, Indo.

INVEST YOUR SAVINGS IN

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.14 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 18,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th May, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A₁ and C)													
Ajmer													
Ajmer . . .	223	71	16.6	11	1	9	..	40	9.3	11
Beawar . . .	59	16	14.1	6	1	4	..	15	13.2	6
TOTAL . . .	282	87	16.0	17	2	13	..	55	10.1	17
Andhra													
Adoni†													
Anantpur . .	38	43	58.8	9	12.3	2
Anakapalli . .	46	21	23.7	5	1	1	..	17	19.2	4
Bhimavaram .	36	30	43.3	1	..	1	..	10	14.4	4
Chirala . . .	43	19	23.0	3	15	18.1	3
Chittoor . . .	45	32	37.0	5	..	3	..	18	20.8	2
Cuddapah . .	42	28	34.7	2	6	..	5	27	33.4	4
Eluru†													
Gudivada . .	36	375	53.4	..	1	..	2	..	1	..	7	10.1	1
Guntur†													
Guntakal . .	37	23	32.3	2	..	2	..	8	11.2	..
Kakinada . .	113	55	25.3	2	10	4.6	1
Kurnool . . .	68	115	88.0	1	2	4	1	26	19.9	3
Masulipatnam .	88	69	44.8	3	21	12.4	3
Nandyal . . .	37	24	33.7	..	2	..	2	..	2	..	15	21.1	4
Nellore . . .	95	80	43.8	2	4	8	..	51	27.9	8
Proddatur†													
Rajahmundry .	122	56	23.9	8	..	2	..	31	13.2	7
Tenali . . .	67	47	36.5	2	2	2	2	16	12.4	4
Vijayavada . .	201	237	61.4	..	2	..	10	5	6	1	76	19.7	20
Visekhapatnam .	128	60	24.4	..	1	..	10	1	8	..	40	16.2	10
Vizianagaram .	75	35	24.3	3	1	2	..	24	16.6	5
TOTAL . . .	1,317	1,011	39.9	..	6	..	63	22	42	9	421	16.6	85
Assam													
Shillong†													
Gauhati†													
Dibrugarh†													
Silchar . . .	43	15	18.1	2	4	4.9	1
TOTAL . . .	43	15	18.1	2	4	4.9	1
Bhopal													
Bhopal City . .	116	73	32.7	2	..	3	1.3	..
Bihar													
Arrah . . .	70	1	0.7	2	6	4.5	..
Bihar . . .	68	17	13.0	3	4	3.1	..
Bettiah†													
Chapra†													
Darbhangha . .	93	18	10.1	4	11	6.2	..
Dhanbad . . .	41	6	7.6	..	1	1	1.3	..
Dinapur . . .	44	7	8.3	..	1	3	6	7.1	..
Gaya . . .	149	34	11.9	24	21	17	1	52	18.2	..
Hazaribagh . .	39	11	14.7	4	5.3	3
Jamalpur . . .	47	7	7.7	2	3	3.3	..
Jamshedpur . .	246	103	21.8	1	2	..	15	3.2	6

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information. N.R.—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th May 1956—*contd.*

Town	Deaths from :—												Total	D.R.*	I.D.
	Mid year Popn.Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bihar—contd.															
Patna Corporation	330	110	17.3	..	13	..	4	..	1	..	38	6.0	..		
Muzaffarpur	84	14	8.7	2	1	1	..	10	6.2	..		
Monghyr	80	10	6.5	3	1	1	..	6	3.9	..		
Bhagalpur†															
Ranchi	130	24	9.6	6	14	5.6	4		
Purulla	47	10	11.1	..	10	..	1	12	12.3	..		
Katihar	51		
TOTAL	1,519	372	12.7	..	25	..	51	4	22	4	182	6.2	13		
Bombay															
Ahmedabad	889	604	35.3	..	8	..	53	25	148	..	488	28.5	169		
Ahmednagar	88	90	53.2	5	2	3	..	37	21.9	13		
Amalner	50	36	37.4	11	..	3	..	16	16.6	1		
Bagalkot	36	25	36.1	3	1	15	21.7	3		
Baroda	242	196	42.2	24	2	22	..	106	22.8	29		
Barsi	46	65	73.5	12	..	2	..	20	22.6	6		
Belgaum	110	43	20.3	5	..	1	..	18	7.5	2		
Bhusawal	62	48	40.3	7	1	1	..	15	12.6	5		
Bijapur	75	56	38.8	9	..	4	1	18	12.5	..		
Broach†															
Cambay	41	24	30.4	2	..	3	..	23	29.2	4		
Chalisgaon	35	22	32.7	2	..	1	..	8	11.8	..		
Dharwar	76	23	15.7	12	8.2	..		
Dhulia	89	80	46.7	11	..	3	..	36	21.0	4		
Gadag-Betegeri	71	42	30.8	9	..	1	..	26	19.0	..		
Godra	40	25	32.5	12	..	1	..	18	23.4	8		
Greater Bombay	3,449	1,593	24.0	..	2	..	1	27	103	..	609	9.2	171		
Hubli	148	98	34.4	1	2	4	..	22	7.7	3		
Jalgaon	79	32	21.1	17	25	16.5	9		
Kalyan	73	15	10.7	1	2	1	..	6	4.3	4		
Kolhapur	159	84	27.5	2	1	7	1	28	9.2	4		
Malgaon	63	32	26.4	8	1	9	7.4	2		
Miraj†															
Nadiad	71	50	36.6	17	26	17.9	4		
Nandurbar	35	17	25.3	6	1	12	17.8	2		
Nasik	119	77	33.7	14	1	11	2	40	17.5	12		
Navasari	50	21	21.8	3	1	7	7.3	2		
Pandharpur	44	40	47.2	5	2	7	1	20	23.6	7		
Patan	47	33	36.5	4	..	3	..	15	16.6	4		
Poona	607	300	25.7	6	2	33	5	118	10.1	..		
Sangli	58	30	26.9	2	..	2	..	11	9.5	1		
Satara	40	30	29.0	1	..	2	..	12	15.6	3		
Sholapur	299	206	35.8	..	1	..	28	9	35	..	127	22.1	40		
Surat	250	203	42.2	..	2	..	22	5	30	1	147	30.6	49		
Thana†															
TOTAL	7,541	4,240	29.9	..	13	..	303	84	431	12	2,090	14.4	561		
Delhi State															
N.R.															
Madhya Pradesh															
N.R.															
Madras															
Ambur	44	29	34.3	3	3.5	1		
Aruppukottai	56	37	34.4	3	2	..	1	17	15.8	6		
Bodinayakanur	40	28	36.4	2	6	7.8	2		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rate; I. D.=Infantile Deaths (included in total deaths); ..=Nil information. N.R.=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th May, 1956—*contd.*

Towns	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	Deaths from —							Total	D.R.*	I.D.
					S.	P.	F.	D.D.	R.D.	M.D.				
Madras—contd.														
Cannanore	47	22	24.3	4	..	1	..	9	10.0	..	
Chidambaram	39	38	50.6	1	1	1	1	14	18.6	3	
Coimbatore	234	263	58.4	10	15	..	85	18.8	29	
Cuddalore	74	95	68.6	2	1	5	..	32	23.1	11	
Dindigul	90	72	41.6	4	20	11.6	4	
Erode	67	77	59.7	1	2	..	17	13.2	4	
Gobichetty Palayan	38	10	13.7	2	2.7	..	
Guddiyattain†														
Kancheepuram	90	72	41.6	4	23	1	44	25.4	7	
Karaikudi	44	29	34.3	1	1	1	..	7	8.3	2	
Karur	50	31	32.3	2	9	9.4	2	
Kozhikode	176	118	34.8	3	2	9	..	61	18.0	13	
Kumbakonam	105	127	62.9	2	..	4	2	46	22.8	10	
Madras	1,703	1,270	38.7	..	1	..	65	75	165	2	568	17.4	167	
Mangalore	136	87	33.3	1	..	5	..	33	12.6	5	
Mathurai	427	363	44.2	12	6	27	4	130	15.8	25	
Mayuram†														
Malapalayam	41	5	6.3	1	5	6.3	..	
Nagapattinam	60	63	54.6	1	4	1	1	22	19.1	5	
Ootacamund	48	34	36.8	5	8	..	16	17.3	2	
Palani	40	31	40.3	1	3	..	10	13.0	2	
Palayamkottai	45	54	62.4	2	..	3	..	9	10.4	3	
Palghat	77	65	43.9	2	1	3	1	28	18.9	11	
Periyakulam	34	22	33.6	1	2	3	..	12	18.4	2	
Pollachi	51	38	38.7	1	9	9.2	4	
Pudukottai	50	41	42.6	1	..	8	8.3	1	
Rajapalayam	69	34	25.6	2	4	3	..	20	15.0	6	
Salem	241	160	34.5	5	4	14	1	59	12.7	7	
Srirangam	42	34	42.1	1	..	9	11.2	3	
Srivilliputtur	44	28	33.1	2	8	9.5	2	
Tanjore	118	75	33.1	1	12	5.3	2	
Tellicherry	42	34	42.1	1	1	3	..	14	11.3	1	
Tiruchirappalli	251	171	35.4	4	7	7	..	66	13.7	7	
Tirunelveli	80	49	31.8	1	3	3	..	28	18.2	5	
Tiruppur	63	56	46.2	..	1	..	2	2	3	..	20	16.5	11	
Tiruvannamalai	45	31	35.8	1	..	4	..	17	19.6	3	
Tuticorin	111	88	41.2	1	5	..	24	11.3	11	
Vaniyambadi	43	24	29.1	2	10	12.1	5	
Vellore	124	122	51.2	1	12	4	48	20.2	19	
Villupuram	39	35	46.6	2	1	..	18	23.9	5	
Virudunagar	53	38	37.3	3	3	2	..	18	9.8	6	
TOTAL	5,271	4,100	40.4	..	2	..	129	148	338	19	1,593	15.7	412	
Orissa														
Berhampur	72	70	50.7	3	2	17	12.3	1	
Cuttack	117	130	58.0	9	1	3	..	45	20.1	5	
Puri	53	40	39.4	8	3	1	..	19	18.7	7	
TOTAL	242	240	51.6	20	6	4	..	81	17.4	13	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th May, 1956—*contd.*

Town	Mid-year Popn.—Est. (000)	Deaths from:—												D.R.*	I.D.
		B.	B.R.*	C	S.	P.	F.	D.D.	R.D.	M.D	Total				
Punjab (1)—contd.															
Hoshiarpur	51	24	24.6	1	6	..	19	19.5	7
Jullundur	200	127	33.0	5	5	5	..	24	6.3	7
Karnal	72	40	29.0	10	17	12.3	4
Ludhiana	176	125	37.1	19	2	1	..	31	9.2	14
Moga	41	26	33.2	1	..	2	..	9	11.5	3
Panipat	64	43	35.1	7	1	1	..	9	2.4	3
Pathankot	34	34	52.3	3	..	1	..	8	12.3	1
Rewari	36	8	11.6	5	1	1	..	9	13.1	1
Rohtak	105	60	29.9	4	2	2	..	13	6.5	4
Simla	50	27	28.2	1	1	..	6	6.3	1
Sonapat	34	26	40.0	5	7	10.8	3
TOTAL	1,474	914	32.2	87	28	61	1	316	11.1	99
Uttar Pradesh															
Agra	375	115	16.0	5	37	..	78	10.8	37
Allahabad	349	142	21.3	..	2	..	2	1	34	..	75	11.2	23
Amroha	61	53	45.4	5	2	4	..	20	17.1	4
Bahrach	47	25	27.8	5	1	21	23.4	3
Banaras	383	230	31.4	..	5	..	87	6	24	..	214	33.3	72
Ballia	35	2	3.0	1	2	3.0	1
Banda	32	9	14.7	1	1.6	1
Bareilly	203	71	18.3	12	4	4	..	30	7.7	10
Bijnor†
Budaun	54	18	17.4	9	..	1	..	12	11.6	4
Basti†
Bulandshahr†
Chandauli	41	26	38.0	6	4	14	17.8	3
Dehra Dun	146	60	21.5	2	2	5	..	20	7.2	7
Etawah†
Faizabad-Ayodhya	88	20	11.9	5	1	1	..	10	5.9
Farrukhabad-Patehgarh	82	45	28.7	4	..	5	..	14	8.9	6
Ferozabad	79	44	29.1	7	1	15	9.9	10
Gaziabad	46	26	29.5	4	5	5.7	4
Gazipur	36	16	23.2	5	..	1	..	14	20.3
Gorkhpur	140	60	22.4	10	4	8	..	30	11.2	9
Gonda	35	12	17.9	3	3	4.5	2
Hapur	49	32	34.1	9	..	2	..	15	16.0	7
Hardwar	64	35	28.6	8	..	1	..	16	13.1	6
Hathras	62	38	32.0	14	4	5	..	32	27.0	14
Jaunpur	56	20	18.7	..	1	..	3	..	4	..	14	13.1	1
Jhansi	116	101	45.5	31	..	2	..	44	19.8	16
Kanpur	734	345	38.8	115	20	48	8	313	22.3	86
Kasganj†
Khurja	41	15	19.1	5	..	3	..	15	19.1	4
Koil-Aligarh	150	65	22.6	11	3	2	..	25	8.7	11
Lucknow	494	435	46.0	29	11	27	..	158	16.7	42
Mathura	110	64	30.4	18	5	11	..	41	19.5	18
Mau-Nath Bhanjant
Meerut	185	107	30.2	6	1	4	..	15	4.2	3
Mirzapur Vindhyaclal	97	37	19.9	12	..	8	..	23	12.4	5
Moradabad	164	92	29.3	13	..	17	..	50	15.9	17
Muzaffarnagar	74	32	22.6	2	4	2.8
Pilibhit	45	26	30.2	3	1	2	..	7	8.1

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Feveres; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th May, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh— <i>contd.</i>														
Rampur†														
Saharanpur	162	111	35.8	21	31	10.0	12	
Sambhal	65	48	38.6	15	5	7	..	33	26.5	10	
Shahjahanpur	99	63	25.9	11	..	1	..	24	9.8	13	
Sitapur	49	17	18.0	4	8	8.5	6	
TOTAL	5,048	2,657	27.4	..	8	..	496	82	268	8	1,476	15.2	467	
West Bengal														
Asansol†														
Baidyabati†														
Bally	66	7	5.5	1	2	..	6	4.8	1	
Bankura	50	12	12.5	5	5.2	..	
Bansberia†														
Baranagar	90	24	13.9	2	3	2	4	..	22	12.8	7	
Basirhat	39	5	6.7	3	3	4.0	..	
Berhampur	64	43	35.1	2	1	11	9.0	3	
Bhadreshwar	34	7	10.8	1	..	2	3.1	..	
Bhatpara†														
Budge Budge	32	6	9.8	3	..	5	8.2	1	
Burdwan†														
Calcutta	2,984	1,291	22.6	76	7	..	32	74	125	7	725	12.7	197	
Champdani	41	8	10.2	1	3	3.8	..	
Cooch-Behar†														
Darjeeling†														
English-Bazar	36	9	13.1	2	2.9	..	
Garden Reach	124	17	7.2	7	6	1	1	..	20	8.4	2	
Hallsahar	41	1	1.3	
Hoogly-Chinsurah	60	56	48.8	3	..	11	9.6	4	
Howrah	477	120	13.2	19	1	..	7	30	27	1	142	15.6	46	
Jalpaiguri	49	24	25.6	1	3	3.2	..	
Kamarhati†														
Kanchrapara†														
Krishnagar	56	1	0.9	1	.9	..	
Midnapore	45	27	31.4	3	2	3	..	20	23.2	..	
Nabadwip	70	32	23.9	1	4	6	13	9.7	3	
Naihati	62	7	5.9	1	1	1	..	9	7.6	..	
North-Barrackpore	36	30	4.4	
Panihati†														
Shantipur	49	16	17.1	3	3.2	1	
Serampore	83	23	14.5	9	8	2	29	18.3	6	
Siliguri	44	14	16.6	1	1	1.2	..	
South Dum Dun	83	
South Suburban	124	29	12.2	2	1	2	1	..	11	4.6	2	
Titagarh	78	32	21.5	3	9	1	1	..	14	9.4	4	
TOTAL	4,917	1,814	19.2	122	8	..	76	126	172	8	1,061	11.2	277	

STATES—(Part B)

Jammu & Kashmir

"N.R."

Madhya Bharat

Greater Gwalior	273	26	5.0	3	..	2	..	9	1.7	..		
Indore	368	340	48.0	29	1	4	..	110	15.5	42		
Ujjain	156	54	18.6	..	5	..	13	44	14.7	1		
Ratlam†															
Mandsaur	41	8	10.2	1	..	1	1.0	..		
TOTAL	838	428	26.6	..	5	..	45	1	7	..	164	10.2	43		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total Deaths) ; .. = Nil Information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th May, 1956—*contd.*

Town	Mid-year Popn-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Mysore														
Bhadravati . .	55	5	4.7
Bangalore . .	977	568	30.2	7	42	76	..	237	12.6
Mysore . .	294	133	23.5	17	8	3	..	69	12.2
Kolar Gold Fields .	173	112	33.7	2	4	10	..	32	9.6
Billary . .	78	47	31.3	1	9	6.0
Davangere . .	69	25	18.8	5	3.8
Hospet . .	45	21	24.3	1	1	3	..	7	8.1
Shimoga . .	57	24	21.9	5	7	6.4
Chitaldrug . .	31	7	11.7	5	8.4
TOTAL	1,879	942	26.1	32	55	92	1	371	10.3
PEPSU														
Patiala City . .	111	27	12.6	14	..	4	..	45	21.1	19	..
Malerkotla . .	34	22	33.6	5	5	7.6	1	..
Bhatinda . .	39	13	17.3	2	..	2	1	7	9.3	2	..
TOTAL	184	62	17.5	21	..	6	1	57	16.1	22	..
Rajasthan														
Jaipur†														
Alwar†														
Bharatpur . .	38	2	2.5	1	3	4.1	1	..
Tonk†														
Sikar†														
Jodhpur†														
Bikaner . .	117	40	17.8	5	1	5	..	18	8.5	1	..
Churu†														
Ganganagar†														
Kotah . .	72	12	8.7	4	..	3	..	11	7.9	2	..
Udaipur†														
TOTAL	227	54	12.4	10	1	8	..	32	7.3	4	..
Travancore-Cochin														
Alleppey . .	148	63	23.1	1	12	4.2
Changanacherry†														
Ernakulam . .	70	40	29.7	3	..	2	..	13	9.7	1	..
Kottayam . .	50	10	10.4	1	1.0
Mattanchery . .	85	48	29.4	3	2	..	1	18	11.0	4	..
Nagercoil . .	94	31	17.1	10	5.5	1	..
Quilon . .	75	96	66.6	4	2.9	2	..
Trichur . .	76	76	52.0	9	6.2
Trivandrum City .	218	53	12.6	4	2	3	..	43	10.4	8	..
TOTAL	816	417	26.6	11	4	5	1	110	7.0	17	..
Saurashtra														
Bhavnagar . .	157	59	19.5	11	5	1	..	60	19.9	13	..
Dhoraji . .	46	27	29.9	3	4	14	15.5
Gondal . .	41	15	19.0	6	9	11.4
Jamnagar†														
Junagadh . .	65	40	32.0	11	4	3	..	27	21.6	12	..
Morvi . .	43	22	26.6	4	1	1	..	6	7.3	1	..
Porbandar . .	64	42	34.1	..	1	..	7	3	21	17.1	14	..
Rajkot . .	167	49	15.3	10	1	6	..	29	9.0	5	..
Surendranagar†														
Veraval . .	46	8	9.0	2	..	1	..	7	7.9	3	..
TOTAL	629	262	21.7	..	1	..	54	18	12	..	173	14.3	48	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information. "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th May, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B	B. R*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Hyderabad															
Aurangabad . . .	73	5	3.6	1	..	1	0.7	..		
Bidar†		
Gulberga . . .	90	23	13.2		
Hyderabad City . .	1,057	533	26.2	26	1	7	..	83	4.1	8		
Jalna†		
Kothagudiam . . .	71	30	22.0	2	1.5	..		
Latur†		
Nanded . . .	80	12	7.8	3	2	5	3.3	..		
Nizamabad . . .	67	13	2.1	2	..	4	..	6	4.6	..		
Parbhani . . .	40	5	6.5	1	..	1	..	3	3.9	1		
Raichur†		
Secunderabad City .	162	148	47.5	40	12.8	11		
Warangal . . .	155	28	9.4	4	..	4	..	12	4.0	..		
TOTAL . . .	1,795	797	23.1	36	1	17	2	152	4.4	20		

ARREAR RETURNS

Bihar														
<i>For w/e 28-4-56</i>														
Arrah . . .	70	9	6.7	1	3	2.2
Bihar . . .	68	13	9.9	3	5	3.8
Betlah . . .	38	27	36.9	2	..	7	9.6
Bhagalpur†
Chapra . . .	69	31	23.4	2	8	6.0
Darbhanga . . .	93	24	13.4	2	..	2	..	7	3.9
Dhanbad . . .	41	13	16.5	..	8	..	2	13	16.5
Dinapur . . .	44	7	8.3	2	4	4.7
Gaya . . .	149	23	8.0	36	3	14	..	78	27.2
Hazratnagar . . .	39	56	74.7	8	10.7	3	..
Jamshpur . . .	47	9	10.0	..	2	2	2.2
Jamshedpur . . .	246	119	25.2	1	1	6	1	22	4.7	9	..
Katihar . . .	51
Monghyr†
Muzaffarpur . . .	84	14	8.7	4	1	1	..	13	8.1
Patna . . .	330	100	15.8	..	6	..	2	1	2	..	40	6.3
Purulia . . .	47	11	12.2	..	1	..	1	1	4	4.4
Ranchi . . .	130	17	6.8	6	11	4.4	3	..
TOTAL . . .	1,546	473	15.9	..	17	..	59	7	27	4	225	7.6	15	..

Orissa														
<i>For w/e 28-4-56</i>														
Berhampur . . .	72	80	87.9	6	4	2	..	19	13.8	5	..
Cuttack . . .	117	149	66.5	7	4	7	1	51	23.8	8	..
Puri . . .	53	28	24.9	4	3	3	..	22	21.7	5	..
TOTAL . . .	242	257	55.2	17	11	12	1	92	19.8	18	..

Madhya Pradesh														
<i>For w/e 21-4-56</i>														
Sagar . . .	75	20	13.8	..	5	..	6	..	1	..	16	11.0
Damoh . . .	42	22	27.2	6	..	2	..	9	11.1
Khandwa . . .	59	26	22.9	..	2	..	1	..	3	..	8	7.0
Burhan Pur . . .	79	61	40.1	14	..	10	..	37	24.3
Bilas Pur . . .	40	28	36.4	2	..	2	..	18	23.4	7	..
Amaravati . . .	101	72	31.0	9	1	3	2	36	18.5	8	..
Achal Pur . . .	38	27	36.9	..	3	..	5	1	1	..	15	20.6
Ycetmal . . .	41	29	36.7	7	13	16.4	3	..
Agola . . .	104	61	30.5	24	2	7	..	49	24.5	7	..
Raigarh . . .	35	16	23.7	..	1	..	2	3	4.4
TOTAL . . .	614	362	30.7	..	11	..	76	4	29	2	204	17.3	25	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th May, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	P.	D.D.	R.D.	M.D.	Total	D.R*.	I.D.
Madhya Bharat		<i>For w/e 28-4-56</i>											
Greater Gwalior .	273	233	44.4	5	2	1	..	16	3.0	..
Indore .	368	105	11.8	20	7	8	1	96	13.0	35
Ujjain .	156	46	15.3	13	2	..	1	40	13.3	..
Ratlam .	73	24	17.1	1	1	5	3.6	1
Mandsaur .	41	11	13.9	3	..	1	..	4	5.1	..
TOTAL .	911	419	23.9	42	11	10	3	161	9.2	36
Rajasthan		<i>For w/e 28-4-56</i>											
Jaipur .	353	61	9.0	24	6	23	..	97	14.3	28
Alwar .	60	24	20.8	2	..	2	..	12	10.4	..
Bharatpur†	43	1	1.2	..	1	..	4	..	5	..	11	12.8	1
Sikar†	43	1	1.2	..	1	..	4	..	5	..	11	12.8	1
Jodhpur†	43	1	1.2	..	1	..	4	..	5	..	11	12.8	1
Bikaner†	48	1	1	1.1	1
Churu .	47	1	..	2	2	1	1	9	9.9	..
Ganganagar .	47	1	..	2	2	1	1	9	9.9	..
Kotah .	72	16	11.5	6	..	2	..	12	8.7	1
Udaipur†	72	16	11.5	6	..	2	..	12	8.7	1
TOTAL .	623	102	8.5	..	2	..	39	8	33	1	142	11.8	31
Assam		<i>For w/e 21-4-56</i>											
Shillong†	57	4	4.0	7	17	17.3	..
Gauhati .	46	5	5.6	1	1.1	..
Dibrugarh .	46	5	5.6	1	1.1	..
Silchar†	46	5	5.6	1	1.1	..
TOTAL .	103	9	4.5	7	18	9.1	..

REMARKS

The figures of births and deaths shown in this statement for week ending the 5th May 1956 relate to 238 towns with an estimated population of 34,138 thousands. The total number of towns is 317, and their population is 41,516 thousands. Thus 75% of the total number of towns representing 82% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,585 and 8,341 representing birth and death rates of 28.3 and 12.7 per thousand of population respectively.

(a) *States (Part A and C)* :—The data here relate to 194 towns with an estimated population of 27,770 thousands. Information about Delhi, and Madhya Pradesh could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 77% of the total number of towns representing 83% of the total population is covered. The number of births

and deaths recorded in these towns were 15,623 and 7,282 representing birth rates and death rates of 29.3 and 13.6 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)* :—The data here relate to 44 towns with an estimated population of 16,368 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 68% of the total number of towns representing 79% of the total population is covered. The number of births and deaths recorded in these towns were 2,962 and 1,059 representing birth and death rates of 24.2 and 8.6 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 5-5-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	16.0	10.1	†	†	18.9	18.2
Andhra	39.9	16.6	26.4	12.7	†	†
Bihar	12.7	6.2	13.1	7.1	10.9	7.3
Bombay	29.9	14.4	25.5	11.8	27.4	14.9
Madras	40.4	15.7	37.1	16.0	†	†
Orissa	51.6	17.4	40.3	13.0	37.5	22.4
Punjab (I)	32.2	11.1	26.8	7.5	23.5	9.7
Uttar Pradesh	27.4	15.2	25.4	13.8	25.5	19.6
West Bengal	19.2	11.2	15.5	9.7	14.9	12.3
India*	29.3	13.6	27.7	12.8	26.2	15.1

*8 Part 'A' States and 1 Part 'C' State.

†Figures not available

NEW DELHI-2 (INDIA); }
The 28th May, 1956

K. MITRA,
for Registrar General, India.